Contents to Volume 289

Hypothesis

Endothelium-derived relaxing factor is a nitrosyl iron complex with thiol ligands (FEBS 10112) *A.F. Vanin* 1

Discussion Letter

The origin of matrix metalloproteinases and their familial relationships (FEBS 10077) *G.J.P. Murphy, G. Murphy, J.J. Reynolds* 4

Research Letters

Tissue-specific expression of Na,K-ATPase β-subunit: Does $\beta 2$ expression correlate with tumorigenesis? (FEBS 10088) *N.S. Akopyanz, N.E. Broude, E.P. Bekman, E.O. Marzen, E.D. Sverdlov* 8

Synapsin I phosphorylated by Ca^{2+}, calmodulin-dependent protein kinase II is able to self-degrade (FEBS 10087) *A.N. Gubin, S.E. Severin* 11

Lethal neurotoxicity in mice of the basic domains of HIV and SIV Rev proteins: Study of these regions by circular dichroism (FEBS 10068) *K. Mabrouk, J.V. Rietschoten, E. Vives, H. Darbon, H. Rochat, J.M. Sabatier* 13

Membrane fusion during infection of *Escherichia coli* cells by phage T4 (FEBS 10089) *Y.S. Tarahovsky, A.A. Khusainov, A.A. Deev, Y.V. Kim* 18

Influence of the H-subunit and Fe^{2+} on electron transport from I^- to Q_A in Fe^{2+}-free and/or H-free reaction centers from *Rhodobacter sphaeroides* R-26 (FEBS 10090) *B. Liu, P.J.M.v. Kan, A.J. Hoff* 23

Activity and conformational changes of α-chymotrypsin in reverse micelles studied by spin labeling (FEBS 10091) *P. Marzola, C. Forte, C. Pinzino, C.A. Veracini* 29

c-erb-A mRNA content and triiodothyronine nuclear receptor binding capacity in rat liver according to vitamin A status (FEBS 10094) *I. Pailler-Rodde, H. Garcin, P. Higueret, J. Begueret* 33

A novel brain-specific 25 kDa protein (p25) is phosphorylated by a Ser/Thr-Pro kinase (TPK II) from tau protein kinase fractions (FEBS 10092) *M. Takahashi, K. Tomizawa, K. Ishiguro, K. Sato, A. Omori, S. Sato, A. Shiratsuchi, T. Uchida, K. Imahori* 37

Purification and characterization of *N*-acyl-D-glutamate deacylase from *Alcaligenes xylosoxydans* subsp. *xylosoxydans* A-6. (FEBS 10093) *K. Sakai, K. Imamura, Y. Sonoda, H. Kido, M. Moriguchi* 44

Carbachol induces secretion in a mast cell line (RBL-2H3) transfected with the ml muscarinic receptor gene (FEBS 10099) *S.V.P. Jones, O.H. Choi, M.A. Beaven* 47

Effects of human low-density lipoproteins on the nucleotide patterns of cultured pig aortic endothelial cells (FEBS 10095) *J. Felbel, E. Siess, N. Zöllner* 51

Purification and partial characterization of ubiquitin-activating enzyme from *Saccharomyces cerevisiae* (FEBS 10097) *M. Hoefer, J.C. Cook* 54

Study of mammalian selenocysteyl-tRNA synthesis with [^{75}Se]HSe^- (FEBS 10100) *T. Mizutani, H. Kurata, K. Yamada* 59

Cloning and sequencing of the inulinase gene of *Kluyveromyces marxianus* var. *marxianus* ATCC 12424 (FEBS 10102) *O. Laloux, J.-P. Cassart, J. Delcour, J. van Beeumen, J. Vandenhaute* 64

Characterization of cDNA encoding the mouse hepatic triglyceride lipase and expression by in vitro translation (FEBS 10098) *S.-F. Chang, H.J. Netter, H. Will* 69

Immunological characterization of peptide-glycine-α-amidating monooxygenases (FEBS 10103) *S.G. Sharoyan, R.M. Nalbandyan* 73

Transcriptional control of yeast phosphofructokinase gene expression (FEBS 10106) *J. Heinisch, K. Vogelsang, C.P. Hollenberg* 77

Protein kinase C activity in rat skeletal muscle: Apparent relation to body weight and muscle growth (FEBS 10105) *E.A. Richter, N.B.S. Nielsen* 83

Protein kinase C subtypes in endothelial cells (FEBS 10104) *P. Mattila* 86

Molecular cloning of cDNA encoding the rat neural cell adhesion molecule L1: Two L1 isoforms in the cytoplasmic region are produced by differential splicing (FEBS 10107) *M. Miura, M. Kobayashi, H. Asou, K. Uyemura* 91

Zn^{2+}-induced deprotonation of a peptide nitrogen in angiotensin I (FEBS 10108) *A.P. Arnold, D.M. Stanley, J.G. Collins* 96

Laminin A-related domains in crb protein of *Drosophila* and their possible role in epithelial polarization (FEBS 10109) *L. Patthy* 99

Legume lectins interact with muramic acid and *N*-acetylmuramic acid (FEBS 10110) *A. Ayouba, C. Chatelain, P. Rougé* 102

cDNA sequence and differential expression of the mouse Ca^{2+}/calmodulin-dependent protein kinase IV gene (FEBS 10101) *D.A. Jones, J. Glod, D. Wilson-Shaw, W.E. Hahn, J.M. Sikela* 105

Different expression time of the 105-kDa protein and 90-kDa heat-shock protein in rat testis (FEBS 10114) *H. Itoh, Y. Tashima* 110

Metaphase-specific phosphorylations weaken the association between chromosomal proteins HMG 14 and 17, and DNA (FEBS 10111) *T. Lund, K. Berg* 113

Folding around the C-terminus of human carbonic anhydrase II: Kinetic characterization by use of a chemically reactive SH-group introduced by protein engineering (FEBS 10113) *P.-O. Freskgård, U. Carlsson, L.-G. Mårtensson, B.-H. Jonsson* 117

Two types of linkage between codon usage and gene-expression levels (FEBS 10115) *T. Nakamura, A. Suyama, A. Wada* 123

Errata and Corrigenda 126

Research Letters

Treatment of intact hepatocytes with synthetic diacyl glycerols mimics the ability of glucagon to cause the desensitization of adenylate cyclase (FEBS 10116) *C. Newlands, M.D. Houslay* 129

cDNA sequence of a *Drosophila melanogaster* gene, D*fur*1, encoding a protein structurally related to the subtilisin-like proprotein processing enzyme furin (FEBS 10117) *A.J.M. Roebroek, I.G.L. Pauli, Y. Zhang, W.J.M. van de Ven* 133

Biosynthesis of paf-acether: XVII. Regulation by the CoA-independent transacylase in human neutrophils (FEBS 10118) *E. Ninio, M. Breton, J. Bidault, O. Colard* 138

Introduction of BAPTA into intact rat submandibular acini inhibits mucin secretion in response to cholinergic and β-adrenergic agonists (FEBS 10120) *C.L. Mills, R.L. Dormer, M.A. McPherson* 141

Published by Elseviers Science Publishers B.V.

Cell adhesive activity of two animal lectins through different recognition mechanisms (FEBS 10119) *Y. Ozeki, T. Matsui, K. Titani* 145
Modification of α-amylase from *Bacillus licheniformis* by the polyaldehyde derived from β-cyclodextrine and α-amylase thermostability (FEBS 10121) *P. Mor S. Biellmann* 148
A distinct 2,5-di-(*tert*-butyl)-1,4-benzohydroquinone-sensitive calcium store in bovine adrenal chromaffin cells (FEBS 10122) *I.M. Robinson, R.D. Burgoyne* 151
Characterization of a tissue-type plasminogen activator from porcine urine (FEBS 10123) *U. Zacharias, H. Will* 155
ADP/ATP translocator is essential only for anaerobic growth of yeast *Saccharomyces cerevisiae* (FEBS 10124) *T. Drgoň, L. Šabová, N. Nelson, J. Kolarov* 159
The induction of lamellar stacking by cholesterol in lecithin–bile salt model systems and human bile studied by synchrotron X-radiation (FEBS 10126) *G.J. Sömjen, R. Coleman, M.H.J. Koch, E. Wachtel, D. Billington, E. Towns-Andrews, T. Gilat* 163
Involvement of sapecin in embryonic cell proliferation of *Sarcophaga peregrina* (flesh fly) (FEBS 10127) *H. Komano, K. Homma, S. Natori* 167
Distribution of a negative regulator of haematopoietic stem cell proliferation (AcSDKP) and thymosin β4 in mouse tissues (FEBS 10125) *P. Pradelles, Y. Frobert, C. Créminon, H. Ivonine, E. Frindel* 171
Proton dissociation from nigericin at the membrane–water interface, the rate-limiting step of K^+/H^+ exchange on the bilayer lipid membrane (FEBS 10128) *O.N. Kovbasnjuk, Y.N. Antonenko, L.S. Yaguzhinsky* 176
Functioning of quinone acceptors in the reaction center of the green photosynthetic bacterium *Chloroflexus aurantiacus* (FEBS 10130) *M.A. Kutuzov, M.D. Mamedov, A.Y.S.P. Shinkarev, M.I. Verkhovsky, N.G. Abdulaev, L.A. Drachev* 179
Molecular cloning and mammalian expression of human β_2-glycoprotein I cDNA* (FEBS 10133) *T. Kristensen, I. Schousboe, E. Boel, E.M. Mulvihill, R.R. Hansen, K.B. Møller, N.P.H. Møller, L. Sottrup-Jensen* 183
The protecting effect of L-carnitine on Ca^{2+}-loaded rat liver mitochondria (FEBS 10131) *E. Mokhova, E. Arrigoni-Martelli, M. Bellei, V. Dedukhova, U. Muscatello, A. Starkov, V. Bobyleva* 187
Primary structure of the cDNA 5′-terminal region encoding the N-terminal domain of the rabbit muscle α-actinin subunit (FEBS 10137) *G.G. Jokhadze, A.V. Oleinikov, Yu.B. Alakhov, N.Sh. Nadirashvili, M.M. Zaalishvili* 190
A ring of uncharged polar amino acids as a component of channel constriction in the nicotinic acetylcholine receptor (FEBS 10134) *K. Imoto, T. Konno, J. Nakai, F. Wang, M. Mishina, S. Numa* 193
Two-stage thermal unfolding of [Cys^{55}]-substituted Cro repressor of bacteriophage λ (FEBS 10135) *G.I. Gitelson, Yu. Griko, A.V. Kurochkin, V.V. Rogov, V.P. Kutyshenko, M.P. Kirpichnikov, P.L. Privalov* 201
Electron microscopy of the complexes of ribulose-1,5-bisphosphate carboxylase (Rubisco) and Rubisco subunit-binding protein from pea leaves (FEBS 10136) *V.L. Tsuprun, E.J. Boekema, T.G. Samsonidze, A.V. Pushkin* 205
NMR investigation of the interaction of mithramycin A with $d(ACCCGGGT)_2$ (FEBS 10140) *M.A. Keniry, D.L. Banville, C. Levenson, R.H. Shafer* 210
Identification of the site phosphorylated by casein kinase II in smooth muscle caldesmon (FEBS 10139) *A. Wawrzynow, J.H. Collins, N.V. Bogatcheva, A.V. Vorotnikov, N.B. Gusev* 213
Identification of potential amino acid residues supporting anticodon recognition in yeast methionyl-tRNA synthetase (FEBS 10141) *L. Despons, P. Walter, B. Senger, J.-P. Ebel, F. Fasiolo* 217
Detection of Na^+/H^+ exchanger mRNA in human neutrophils and lymphocytes using the polymerase chain reaction (FEBS 10142) *B. Quednau, D. Rosskopf, H. Weiler-Güttler, W. Siffert* 221
Mechanical influence and cAMP injection evoke the same reaction of neuron ionic channels (FEBS 10143) *S.V. Minina, O.L. Myakotina, V.B. Avdonin, E.A. Liberman* 224
Cloning, pharmacological characteristics and expression pattern of the rat $GABA_A$ receptor α_4 subunit (FEBS 10144) *W. Wisden, A. Herb, H. Wieland, K. Keinänen*, H. Lüddens, P.H. Seeburg* 227
^{15}N NMR studies of the conformation of *E. coli* dihydrofolate reductase in complex with folate or methotrexate (FEBS 10145) *F.-Y. Huang, Q.-X. Yang, T. Huang* 231
Identification of seven novel protein-tyrosine kinase genes of *Drosophila* by the polymerase chain reaction (FEBS 10148) *E. Shishido, Y. Emori, K. Saigo* 235
Platelet-activating factor activates cardiac G_K via arachidonic acid metabolites (FEBS 10147) *T. Nakajima, T. Sugimoto, Y. Kurachi* 239
Different superstructural features of the light responsive elements of the pea genes *rbcS-3A* and *rbcS-3.6* (FEBS 10129) *S. Cacchione, M. Savino, A. Tufillaro* 244
Inhibition of fetal rat pancreatic β-cell replication by interleukin-1β in vitro is not mediated through pertussis toxin-sensitive G-proteins, a decrease in cyclic AMP, or protease activation (FEBS 10132) *Å. Sjöholm* 249
2D ^1H NMR studies of oxidized 2(Fe_4S_4) ferredoxin from *Clostridium pasteurianum* (FEBS 10149) *I. Bertini, F. Briganti, C. Luchinat, L. Messori, R. Monnanni, A. Scozzafava, G. Vallini* 253
Molecular cloning and nucleotide sequence analysis of a cDNA encoding pea cytosolic ascorbate peroxidase (FEBS 10146) *R. Mittler, B.A. Zilinskas* 257
Characterization of full-length cDNAs and the gene coding for the human GM2 activator protein (FEBS 10150) *H. Klima, A. Tanaka, D. Schnabel, T. Nakano, M. Schröder, K. Suzuki, K. Sandhoff* 260

Author Index to volume 289 265

Contents to volume 289 269

Erratum 271